

Finiture piano disponibili
Melaminico
Melaminico 3D
Perfect Sense MDF

Meccanismo di ribaltamento piano
in lamiera d'acciaio acciaio con
maniglie di sblocco.

Gamba con montante in tubo d'acciaio
rettangolare 60x30 mm con piede in
alluminio pressofuso.
Verniciatura epossipoliestere a polveri
Nero RAL 9005
Grigio



Ruota girevole con freno ø75 mm
in polipropilene (PP) ricoperta in

Gancio in nylon grigio
per unione piani

Contenitore in acciaio a 4 o 6
moduli elettrici e/o multimediali
verniciato Bianco, Nero o Grigio.
Disponibile con modulo passacavi
(optional).

Passacavi orizzontale in
polipropilene (PP).

Pannello frontale.
Melaminico (disponibile anche in FSC)
Melaminico 3D
Perfect Sense
Laminato scrivibile.



Finiture Gambe



Gamba con in tubo d'acciaio rettangolare 60x30 mm con piede in alluminio pressofuso.
Verniciatura epossipoliestere a polveri

Disponibili in 6 finiture:

Montante Nero RAL9005 / Piede Nero RAL9005

Montante Grigio / Piede Grigio

Montante Bianco RAL9003 / Piede Bianco RAL9003

Montante Nero RAL9005 / Piede in alluminio spazzolato lucido

Montante Grigio / Piede in alluminio spazzolato lucido

Montante Bianco RAL9003 / Piede in alluminio spazzolato lucido

Finiture Piani


Melaminico
sp.25 mm
bordo ABS sp.2 mm




Melaminico 3D
sp.22 mm
bordo ABS sp.1 mm



Perfect Sense MDF
sp.22 mm




*** Laminato scrivibile**
sp.20 mm




* Disponibile solo per Ulisses160AR/ Kit elettrici non applicabili per questa finitura.



Coppia piedini in alluminio con base nera.




Gancio in nylon grigio per unione piani per piani con angoli dritti 90°.







Modulo singolo in ABS con sistema elettrico e/o multimediale e passacavi.
Colori disponibili Antracite RAL 7016 e Bianco RAL 9010.




CAV_002
Cavo di connessione tra moduli elettrici 2 mt





CAV_004
Cavo elettrico 2 mt



CAV_015
Distributore a 3 vie.



Contenitore in acciaio a 4 o 6 moduli elettrici e/o multimediali.
Colori disponibili Nero RAL9017, Grigio RAL9006 e Bianco RAL 9016.




Contenitore passacavi richiudibile in acciaio verniciato (Bianco, Nero o Grigio).
Colori disponibili Nero RAL9017, Grigio RAL9006 e Bianco RAL 9016.

Prese elettriche internazionali e nazionali




Accessori Multimediali








* USB charger solo carica batterie
** USB 3.0 solo per dati

Dimensioni e forme piani



Composizioni



Pulizia

Per le parti metalliche consigliamo esclusivamente un panno morbido e alcool asciugando bene dopo la pulizia.
Per le superfici laccate, usare panno umido ed acqua con detersivo liquido neutro, non usare solventi, trielina,

Garanzia

I nostri prodotti sono garantiti 5 anni.



UNI EN 1730:2000

Certificato di conformità secondo le
norme UNI EN 15372:2016, livello 2°

Available top finishes:
MFC
MFC 3D
Perfect Sense
Writable Laminate

Steel sheet metal Flip top mechanism
with release handles.
Cover in black polypropylene (PP).

Leg with rectangular steel pipe column
60x30 mm with diecast aluminium
foot. Epoxy powder painting.

Black RAL9005

Grey

White RAL9003.


Swivel castor with pedal brake $\varnothing$ 75
mm, polyamide support and ther-
moplastic rubber.

Grey nylon linking
device to join tabletops
(optional)

Steel box for 4 or 6 module with electri-
cal and/or multimedia system.
Painted White, Black or Grey.
Available with cable management.

Black Polypropylene cable
management system (PP).

Modesty Panel
MFC
MFC 3D
Perfect Sense
Writable Laminate



Structure Finishes



Leg with rectangular steel pipe column 60x30 mm with diecast aluminium foot.

Epoxy powder painting.

6 Finishes available:

Column Black RAL9005 / Foot Black RAL9005

Column Grey / Foot Grey

Column white RAL9003 / Foot White RAL9003

Column Black RAL9005 / diecast aluminium polished foot

Column Grey / diecast aluminium polished foot

Top Finishes

MFC
th.25 mm
edge in ABS th.2 mm




MFC 3D
th.22 mm
edge in ABS th.1 mm



Perfect Sense MDF
th.22 mm
edge in ABS th.1 mm




*** Writable Laminate** th.20 mm
edge in ABS th.2 mm




* Available only for Ulisses 160AR/ Electrical Boxes not available with this finishing.



Pair of aluminum feet with black base.




Grey nylon linking device to join tabletops with straight corners 90°.






Single module in ABS with electrical and/or multimedia system and cable management.
Available colours Anthracite RAL 7016 and White RAL 9010.




CAV_002

Connection cable between electrical modules 2 mt.
(H05VV-F 3G 1.5 mm² / GST18 - GST18).




CAV_004

Electric cable 2 mt.
(H05VV-F 3G 1.5 mm² / GST18 - Male).




CAV_015


Power distributor with 3 poles.



Steel box for 4 or 6 module with electrical and/or multimedia system.
Available colours Black RAL9017, Grey RAL9006 and White RAL 9016.



Painted steel cable management resealable module. Available colours Black RAL9017, Grey RAL9006 and White RAL 9016.




BOX02_A

National and International Sockets




*Multimedia Accessories










* USB charger only charger
** USB 3.0 only data

Shapes and tops dimensions



Compositions



Cleaning

For the metal parts, we recommend to use only a damp cloth with alcohol and to dry everything very well after cleaning.
For painted surfaces, please use only a damp cloth with water and neutral liquid detergent. Do not use solvents, trichloroethylene, acetone or ammonia.

Warranty

Ulisses is guaranteed 5 years.



UNI EN 1730:2000

Compliance certificate in accordance with UNI EN 15372:2016, 2nd level.